

Section

Quiz 10a-1

May 15, 2015

Closed book. Duration:


Name:

Student ID:

Signature:

A yo-yo consists of two coaxial disks each of mass  $m$  and radius  $R$  and radius  $2R$ , respectively. The yo-yo is initially at rest on a table. A rope is wound around the smaller disk and suspended through a frictionless pulley at from the end of the table by a particle of mass  $m$ . When the system is released, the disk rolls without slipping on the table.  $I_{cm-disk} = \frac{mR^2}{2}$

- Draw the free-body diagrams of the particle and the disk. Indicate the coordinate system you set for each diagram clearly.
- Determine the angular acceleration of the yo-yo.
- Determine the minimum static friction coefficient of the table so that the yo-yo is rolling without slipping.



Section

Quiz 10a-2

May 15, 2015

Closed book. Duration:


Name:

Student ID:

Signature:

A yo-yo consists of two coaxial disks each of mass  $m$  and radius  $R$  and radius  $2R$ , respectively. The yo-yo is initially at rest on a table. A rope is wound around the outer disk and suspended through a frictionless pulley at the end of the table by a particle of mass  $m$ . When the system is released, the disk rolls without slipping on the table.  $I_{cm-disk} = \frac{mR^2}{2}$

- Draw the free-body diagrams of the particle and the disk. Indicate the coordinate system you set for each diagram clearly.
- Determine the angular acceleration of the yo-yo.
- Determine the minimum static friction coefficient of the table so that the yo-yo is rolling without slipping.



Section

Quiz 10a-3

May 15, 2015


Closed book. Duration:

Name:

Student ID:

Signature:

A particle of mass  $m$  is suspended by a rope on the vertical side of a table. The rope is passing through a frictionless pulley and threaded around the rim of a disk of mass  $3m$ , and radius  $R$ . The disk is on the table and the center axis of the disk is attached by a rope to a wall. The disk can rotate about its center axis. It is observed that the particle moves downward with constant speed.  $I_{cm-disk} = \frac{mR^2}{2}$



- Draw the free-body diagrams of the particle and the disk. Indicate the coordinate system you set for each diagram clearly.
- Determine the friction coefficient of the table. Is it kinetic or static friction coefficient?
- Determine the tension in the rope connected to the center of the disk.